

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

CHEMICALS

**Specialy Formulated to meet the needs
of the Automotive and Industrial user for
the '90's**

**O.E.M. Hardware 's Chemicals
OVERCOME PROBLEMS Associated
with Production line requirements.**

**The Superior Quality of O.E.M. Hardware
Chemicals Allow us to Offer an
UNCONDITIONAL GUARANTEE.**

CHEMICALS

Guarantee

*If for whatever reason you are not completely satisfied with
our products, O.E.M. Hardware Inc. will be pleased to
exchange or credit any product which does not
meet it's stated standards.*



**CONTAINS
NO
FLUORO-
CARBONS**

The new line of chemicals that allows you to keep on working

Consider these fact about Aerosols:

LABOR SAVING

90% of every dollar spent on maintenance is spent on labor. Aerosols eliminate spilling, mixing, pouring, measuring, and clean up.

MORE EFFICIENT

Aerosols deliver the base chemical to the surface in a variety of forms unattainable by liquid products. Foam products cling to vertical surfaces to improve efficiency and eliminate streaking. Lubricant sprays can be delivered with ease through applicator tubes.

MORE ACCURATE

Eliminate the possibility of using too little concentrate resulting in a loss of effectiveness. Aerosols take the guess work out of chemical usage.

MORE ECONOMICAL

Aerosols are economical compared to bulk chemicals. Aerosols use on the average less water (or similar dilutant) than bulk chemicals. This results in using less aerosol, less towels, and less labor for each job.

MORE CONVENIENT


Aerosols offer push button convenience at a price competitive to bulk items. It makes good sense to give employees a tool they like to use.

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

RUST-A-TAK®

THE ULTIMATE PRODUCT FOR QUICKLY FREEING ALL RUSTED AND CORRODED PARTS. THIS LUBRICANT IS A COMBINATION OF SPECIAL WATER DISPLACEMENT COMPOUNDS, CORROSION INHIBITORS, SOLVENTS, AND NON-GREASY LUBRICANTS.



19 oz Aerosol
Part No. 900-100
BC/G

CONTAINS
NO
FLUORO-
CARBONS

- **EXCELLENT WATER DISPLACEMENT**



Rust-A-Tak is used to displace water and moisture from electrical equipment leaving a protective coating to repel moisture.

- **PENETRATES FASTER**

Unique blend of superior ingredients break through rust completely.

- **SUPERIOR LUBRICANT**

Rust-A-Tak greatly reduces friction to provide residual corrosion protection.



ALL CHEMICALS
100%
GUARANTEED

APPLICATIONS:


- | | | |
|--------------------------|-------------------------|---------------------------------|
| • FROZEN ASSEMBLIES | • MACHINERY PARTS | • CORRODED PARTS |
| • SALT WATER CORROSION | • CONTACT POINTS | • AUTOMOTIVE DIST. |
| • ELECTRIC SWITCHES | • LIGHT BULBS & SOCKETS | • DEPTH SOUNDERS & FISH FINDERS |
| • STARTERS & ALTERNATORS | • RUNNING LIGHTS | • CIRCUIT BREAKERS & SOLENOIDS |

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

KOOL-KUT®

KOOL-KUT IS A HEAVY DUTY CONCENTRATED CUTTING OIL FORTIFIED WITH ADDED ACTIVE SULPHUR CREATING AND EXTREME PRESSURE ADDICTION. THIS FLUID CAN BE UTILIZED ON THE MOST DIFFICULT MACHINING OPERATIONS ON THE HARDEST AND TOUGHEST ALLOY STEELS AND THREAD CUTTING AND TAPPING OPERATIONS.



14 oz Aerosol
Part No. 900-130
BC/G

CONTAINS
NO
FLUORO-
CARBONS

- **BUILT-IN LUBRICITY**

Provides good lubrication for centerless grinding. Gives residual lubrication on machine tools

- **CLEAN RUNNING**


Leaves machine tools free from chips and swarf; grinding wheels remain clean

- **CONTAINS NO NITRATES**

These often cause freezing of chucks and collets

- **RAPID HEAT REMOVAL**

Good wetting ability, gives excellent cooling of workplace.



ALL CHEMICALS
100%
GUARANTEED

APPLICATIONS:

- DRILLING
- MACHINING PARTS
- REAMING
- CUTTING
- TAPPING
- THREADING

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

PRO-TECT®

SPECIAL FORMULA OF ACID NEUTRALIZERS QUICKLY AND SAFELY DISSOLVES POWER ROBBING CORROSION DEPOSITS ON INDUSTRIAL AND VEHICLE BATTERIES, TERMINALS AND CABLES.



19 oz Aerosol
Part No. 900-150
BC/G

CONTAINS
NO
FLUORO-
CARBONS

- **DISSOLVES AND NEUTRALIZES**


Pro-Tect seeks out and safely dissolves and neutralizes acid, even in the smallest crevices.

- **EXTENDS BATTERY LIFE**


Pro-TECT increases battery service life and dependability up to 50%. Batteries retain power- start faster because pro-TECT seals out harmful power-robbing corrosion.

- **SAFE, CONVENIENT ACID CHECKING**

If acid is present, the cleaner will turn PINK or RED, The deeper the color, the higher the concentration of acid.



ALL CHEMICALS
100%
GUARANTEED



APPLICATIONS:

- INDUSTRIAL BATTERIES
- TERMINALS AND CABLES
- VEHICLE BATTERIES
- CORRODED BATTERY TIE DOWNS


CHEMICALS

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

DURA-LUBE®

DURA-LUBE IS A WHITE LITHIUM GREASE IN A CONVENIENT EASY TO USE AEROSOL. USEFUL FOR MANY APPLICATIONS, THIS LUBRICANT PROVIDES STABLE HOLDING POWER, AND A NON-STAINING PROTECTIVE COATING.



15 oz Aerosol
Part No. 900-180
BC/G

CONTAINS
NO
FLUORO-
CARBONS

- **LASTING LUBRICANT**


A lasting lubricant, DURA-LUBE will reduce friction between surfaces of similar or dissimilar materials. Will NOT wash away

- **PROTECTIVE COATING**


DURA-LUBE provides a non-staining exceptional coating for prevention of rust and corrosion.

- **NON-SEPARATING**

Unique formula won't separate, gum or crack



BOATS



INDUSTRIAL

APPLICATIONS:

- AUTOMOTIVE
- NEW ASSEMBLIES
- INDUSTRIAL
- OUTDOOR RUST PREVENTION


ALL CHEMICALS
100%
GUARANTEED

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

CITRA-CLEAN®

THIS HIGH FOAMING, ALL PURPOSE PRODUCT IS AN EXCELLENT BIODEGRADABLE SOLVENT MADE FROM STEAM EXTRACTION OF 100% ORGANIC MATERIAL. IT IS A VERY EFFECTIVE DEGREASER, EMULSIFIER AND DEODORANT.



19 oz Aerosol
Part No. 900-210
BC/G

CONTAINS
NO
FLUORO-
CARBONS

- **POWERFUL & EFFECTIVE**

Concentrated cleaning agents penetrate and loosen the toughest grease and dirt. Leaves surface clean and dry- no residue.


- **SAFE**

This special formula does not contain any chlorinated solvents, petroleum distillates or butyl solvents. Powerful natural degreasers provide quick and effective cleaning.

APPLICATIONS:

- DOORS, WALLS
- BATHROOM FIXTURES
- INDOOR AND OUTDOOR USE
- CERAMIC AND PLASTIC TILE
- If used on plastic or freshly painted surfaces, check on inconspicuous area for evidence of attack

ALL CHEMICALS
100%
GUARANTEED




CHEMICALS

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

GLASS-SHEEN®

NEW EXCLUSIVE FORMULA, FOAMING ACTION GLASS CLEANER. THOROUGHLY CLEANS WITH FOAM, LIFTING AND LOOSENING DIRT AND GRIME, WHILE LEAVING A LIGHT AND PLEASANT FRAGRANCE.



14 oz Aerosol
Part No. 900-250
BC/G

CONTAINS
NO
FLUORO-
CARBONS

- **NO DRIPPING**
GLASS-SHEEN clings easily to vertical surfaces for fast, easy cleanups
- **NO STREAKING**
Specially formulated to prevent streaking
- **CLEANS AND DEODORIZES**
Leaves no residue for fast, fresh cleanups, no streaking

APPLICATIONS

- LIPSTICK
- OIL & GREASE
- DUST & DIRT
- BUGS & ROAD GRIME

ALL CHEMICALS
100%
GUARANTEED

O.E.M. HARDWARE


Hard to Find Fasteners Our Specialty

PRO-KLEAN®

THIS HIGHLY EFFECTIVE GELLED HAND CLEANER HAS BEEN FORMULATED USING HARD WORKING SURFACTANTS, MILD SOLVENTS AND A BLEND OF SKIN CONDITIONING EMOLLIENTS. IT IS FORTIFIED WITH SCRUBBING PUMICE PARTICLES FOR ADDITIONAL CLEANING POWER.

CHEMICALS

Part No. 900-260
BC/G



APPLICATIONS


- | | | |
|------------------|-------------------|-------------|
| • GREASE AND OIL | • PRINTER INK | • ADHESIVES |
| • PAINT | • TAR AND ASPHALT | • DYES |
| • DIRT AND GRIME | • SHOE POLISH | • SHELLAC |

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

The **BRAKE PARTS CLEANER®**

REMOVES FLUID, GREASE AND OILY CONTAMINANTS FROM BRAKE LININGS, AND DRUMS. NOT NECESSARY TO DISSASSEMBLE BRAKE UNIT. USEFUL ON LININGS, DISC PADS, DRUMS, CYLINDERS, AND SPRINGS.



CONTAINS
NO
FLUORO-
CARBONS

14 oz Aerosol
Part No. 900-280
BC/G

- **NO CHLORINATED SOLVENTS**

The Brake Parts Cleaner contains NO Chlorinated solvents (Chlorinated solvents have been known to cause cancer)

- **50lb BURST**

Blasts away dirt, grease, oil and dangerous deposits that cause excessive wear to brake machanisms.

- **NON-FAMMABLE**

- **NO DISSASSEMBLY NECESSARY**

APPLICATIONS

- BRAKE LINING
- DISC PADS
- WHEEL CYLINDERS
- SPRINGS


ALL CHEMICALS
100%
GUARANTEED

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

PRO-SHIELD®

AN EXCELLENT CREAM TO BE APPLIED TO ALL BODY AREAS EXPOSED TO DAILY WORKING CONDITIONS WHERE DIRT, HAZZARDOUS INDUSTRIAL FUMES OR LIQUIDS MAY COME IN CONTACT WITH THE SKIN.



18 oz Aerosol
Part No. 900-350
BC/G

CONTAINS
NO
FLUORO-
CARBONS

- **HIGHLY PROTECTIVE**


Provides up to 4 hours of skin protection against dirt, chemicals, liquids and other agents. Protects against dermatitis, rashes and other skin irritations.

- **INVISIBLE**

Pro-Shield provides an invisible barrier...you won't even know it is there.

- **SAVES TIME**

Clean up time is greatly reduced



CHEMICALS

APPLICATIONS


QUICK, SIMPLE, SAVE...MAKES YOU SKIN SMILE

ALL CHEMICALS
100%
GUARANTEED

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

SCREW GRAB®




**SCREW GRAB
GRIPS THE SCREW
GIVING YOU MORE
TORQUING POWER
AND BETTER
CONTROL**



ELIMINATES

- AWKWARD IMPACT DRIVERS
- TIME CONSUMING DRILL OUTS



USE WITH ALL TYPES OF SCREWS

- S L O T T E D
- P H I L L I P S
- A L L E N
- S O C K E T
- T O R X




RED GREASE

Extra Heavy Duty Non-melt Grease

RED GREASE is an all purpose non-melt grease specially formulated with extreme pressure and anti-wear additives to provide heavy duty service. It is one of very few greases able to withstand heavy shock load and impact pressures of 50 Timken load capabilities. This product has excellent adhesive and cohesive properties. It resists most acids, weather, dirt, salts spray, steam and oxidation. Our product protects equipment indoors or outdoors even under high temperature and heavy loads.

Size	Part No	
14 oz Tube	900-290	BC/G
7 lbs Can	900-292	BC/G



USER BENEFITS

1. Exceptional resistance to acids, water, salt spray, weather, dirt, dust, steam and oxidation.
2. Exceptional adhesive-cohesive and anti-wear properties.
3. Gives Extra "cushioning" that reduces shock and noise.
4. Performs at a wide variety of temperatures up to 550° F.
5. Excellent outdoor resistance, extreme pressure and high heat resistance. Water resistant too.
6. High shock and impact resistance. No pound out or thin out.
7. Seals out dust-dirt-contaminants, prolongs life of metal parts.
8. Contains special corrosion and rust inhibitors.
9. Excellent load carrying capacity- 50 timken load.

TYPICAL SPECIFICATIONS

Color	Red
Penetration (ASTM D-217)	250-270
NLGI Grade	2 to 2.5
Dropping Point (ASTM D-556)	+550° F (non Melt)
Timken OK Load ASTM D-2509)	50 LB.
Water Resistance	Excellent
Rust Resistance	Excellent
Acid Resistance	Excellent

APPLICATIONS

- AUTOMOTIVE
- BOTTLING PLANTS
- FARMS
- TRUCKING
- PAPER MILLS
- MARINE
- CONSTRUCTION
- FOOD PLANTS
- ELEVATORS
- STEEL MILLS
- LUMBER MILLS
- INDUSTRIAL

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty


G-C-L II™ GEAR, CHAIN & CABLE LUBRICANT

This gear and chain lubricant is specially formulated for outdoor heavy duty use. It is ideally suited for all machinery types. It will also hold up under water.



18 oz Aerosol
Part No. 900-275
BC/G

- **LUBRICATES**
Gears, Chains and Cables
- **GREAT FOR OUTDOOR USE**
- **HOLDS UP UNDER WATER**



APPLICATIONS:

CRANES, HOISTS, CABLES, GEARS, DRAG LINES, WINCHES,
ROCK CRUSHING MACHINES, HEAVY DUTY STREET CLEANING,
SNOW REMOVAL EQUIPMENT, ELEVATORS, FURNACES, LIFT TRUCK
RACKS, CHAINS, CAMS, LEAF SPRINGS, PRESSES AND SHEARS.

CHEMICALS

ALL CHEMICALS
100%
GUARANTEED


O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

DRY LUBE™

with Moly

OEM's molybdenum disulfide formulation is a dry lubricating film. Providing a long lasting "WEAR" film of lubrication on moving parts. Does not squeeze out or wash off like regular lubricants, even from steam cleaning.



15 oz Aerosol
Part No. 900-285
BC/G

- **FAST DRYING**



Quickly dries to a hard, black coating,
Does not attract dust or dirt.

- **HIGH TEMPERATURES & PRESSURE**

Molybdenum actually penetrates into the pores of the metal giving excellent extreme pressure properties and is stable at extreme temperatures both high and low -110° to 1050°F.

- **HIGH LUBRICITY AND RESISTANCE**

It resists wear and abrasion, Provides high lubricity, will not fling or wipe off and adds years of life to equipment.



APPLICATIONS:

DOOR HINGES, BATTERY HOLD DOWNS, RAILROAD SWITCH PLATES,
SLIDING TANDEM PADS, TRANSMISSION GEARS BEFORE ASSEMBLY,
ALL MOVING PARTS, PLUS CHAINS & CABLES IN DUST ENVIRONMENTS.

ALL CHEMICALS
100%
GUARANTEED

CHEMICALS

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

NO-SLIP™ BELT DRESSING

This specially formulated product stops belts from slipping, squealing, adds more power, eases strain on bearings and bushings.



11 oz Aerosol
Part No. 900-300
BC/G


- **MORE POWER**

Quick and economical improvements over untreated belts. Will increase the power and ease the strain on bearings and bushings.

- **REDUCES WEAR**

Reduces the wear and tear and adds life to moving parts.

- **NO SLIPPING, NO SQUEALING**



APPLICATIONS:

LEATHER, RUBBER, CANVAS
& FABRIC BELTS.

ALL CHEMICALS
100%
GUARANTEED

**Insert Extension
Tube Provided**
To reduce overspray & for
those hard to reach areas

CHEMICALS

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

Bostik HAND & TOOL TOWELS™

A revolutionary WATERLESS hand cleaner.
Ideal for hands, tools and parts.

- NO RINSING
- NO DRYING
- NO RESIDUE

- **REMOVES:**

Never-Seez Compounds,
Adhesives, Inks, Paints & Tar.

- **ALSO REMOVES:**

Grease, Oil, Grime, Urethane
Sealants & Urethane Adhesives.

- **CONVENIENT, PORTABLE & SAVES TIME**

Pleasant citrus aroma.




72 Towels
(9-3/4" x 10-1/2" each)
Part No. 73072
BC/G

ALL CHEMICALS
100%
GUARANTEED



EASY TO USE



CHEMICALS

SUPER PATCH

EPOXY MENDING COMPOUNDS

- ONE PIECE, TWO COMPONENT EPOXY STICK
- TWIST OR CUT OFF REQUIRED AMOUNT
- KNEAD BY HAND
- FORM TO ANY SHAPE
- WILL NOT DRIP OR RUN
- STEEL HARD IN MINUTES
- 1" X 7" STICK IN STORAGE TUBE (114 GRAMS- 4 OZ)

SUPER STEEL PATCH

799-620 (G/D)

- Permanent repairs to ferrous metals including pipes, tools, tanks and parts
- Molds like clay, hardens like steel
- Forms nuts and bolts in place, repairs stripped threads
- Will not rust
- Drill, tap or machine
- gray colour

SUPER ALUMINUM PATCH

799-622 (G/D)

- Many industrial and home maintenance applications
- Recreational vehicles, storm doors, windows and aluminum siding
- Refrigeration, aluminum tanks, casting and pipes
- And many other uses
- drill, tap or machine
- gray colour

SUPER COPPER PATCH

799-624 (G/D)

- Repairs copper, brass and bronze
- Bonds to damp, wet and slow leaking surfaces
- Seals leaks in pipes, joints, elbows, sleeves and drains
- drill, tap or machine
- copper colour

SUPER MARINE PATCH

799-626 (G/D)

- Excellent for marine applications
- Permanently patches dings, scratches, cuts, gouges and holes in fiberglass, metal and wooden boat decks and hulls
- Repairs to fittings, pipes, electrical connections, fuel tanks, water tanks, sinks, hot tubs and pools
- Excellent adhesion to PCV and will not yellow when exposed to UV rays
- Drill, tap or machine
- aqua (bluegreen) colour

SUPER WOOD PATCH

799-628 (G/D)

- Permanent wood repairs
- Interior and exterior applications
- Fills holes, scratches, gouges, cracks and dry rot
- Repairs damaged furniture, moldings, doors and frames
- can be sanded, sawed, painted or stained
- No shrinkage
- Drill, tap or machine
- brown colour

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

SSX Cleaner™

STAINLESS STEEL EXTRA CLEANER

This cleaner was specifically designed to use on stainless steel and most other metal surfaces. It restores a "like new" brilliant shine and leaves a protective coat to help retard tarnishing.



15 oz Aerosol
Part No. 900-135
BC/G

- **CLEANS and MORE**

This cleaner not only cleans deposits, it restores luster and protects the surface.

- **HIGH GLOSS**

This oil based formula creates a high gloss to your surface.

- **CONTAINS**

No chlorinated solvents or ozone depleters.

- **PLEASANT SMELL**

This cleaners pleasant lemon fragrance makes working with it much easier.

APPLICATIONS:

STAINLESS STEEL, CHROMIUM, ALUMINUM, ZINC,
MILD STEEL, BRASS, COPPER AND SILVER.

ALL CHEMICALS
100%
GUARANTEED

CHEMICALS


O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

PGD-PRO™

PAINT, GASKET & DECAL REMOVER

This unique aerosol is a fast acting, easy to use stripper that can strip paint, gaskets and decals, all in one product.



16 oz Aerosol
Part No. 900-230
BC/G

- **FAST ACTING**



Quickly softens, penetrates and removes paint, gaskets, decals, shellac & varnish.

- **ECONOMICAL**

Saves on labour and time, no costly applicators required - just spray, allow to penetrate, then scrape, wipe or hose off.

- **VERSATILE**

Removes decals, gaskets and paint from metal, tile, brick, concrete and wood (without raising the grain).



APPLICATIONS:

PAINT, SEALER, VARNISH, TAR, CARBON, INK, EPOXY, ENAMELS,
DECALS, ADHESIVES, REFLECTIVE PAINT, EMBEDDED GREASES,
SILICONES & CONTACT CEMENT.

ALL CHEMICALS
100%
GUARANTEED

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

DE-SOLV™

BIODEGRADABLE DEGREASER & SOLVENT

A highly concentrated all natural, all organic and biodegradable solvent. Ideal for cleaning and degreasing machinery, equipment, engines and electrical motors.



18 oz Aerosol
Part No. 900-275
BC/G




- **EXCELLENT DEGREASING POWERS**

Easily removes grease, oil and grime from metallic and non-metallic surfaces including most plastics.

- **ALL NATURAL/BIODEGRADABLE**

Contains citrus oil - nature's cleaning agent
No petroleum distillates
No chlorinated or fluorinated solvents

- **NON CONDUCTIVE TO 32,000 VOLTS**



APPLICATIONS:

MACHINERY, EQUIPMENT, ENGINES, ELECTRICAL MOTORS,
MOST PLASTICS, METALLIC & NON METALLIC SURFACES.

ALL CHEMICALS
100%
GUARANTEED

CHEMICALS

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

SILVER LUBE™ ANTI-SIEZE COMPOUND

SILVER LUBE is a high quality anti-seize compound even when exposed to water or high temperatures. It provides outstanding protection against rust and corrosion on any type of metal.

CHEMICALS




6 oz Aerosol
Part No. 000-000
BC/G

- **UNIQUE APPLICATOR**
Applies quick, neat & clean to all thread types without dripping, mess or waste.
- **RUST & CORROSION PROTECTION**
Protects against galling & seizing.
- **WATER & HEAT RESISTANT TO 2100°F.**



ALL CHEMICALS
100%
GUARANTEED




APPLICATIONS:

NUTS, BOLTS, SPARK PLUGS, THREADED FITTINGS, GASKETS, BUSHINGS, LUG NUTS, ENGINE HEAD BOLTS, EXHAUST, MANIFOLD STUDS, SPRING BOLTS, STARTER AND ALTERNATOR BOLTS PLUS MANY OTHER USES.

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

Bostik® RTV SILICONE SEALANT





85 gram tube

Cut nozzle to
desired size.

-small
-medium
-large

- INDUSTRIAL GRADE SILICONE SEALANT
- FORMS WATER PROOF, WEATHER PROOF SEALS
- BONDS TO GLASS, WOOD, METALS, PORCELAIN, CERAMIC, MARBLE, FIBERGLASS & PLASTICS
- REMAINS TOUGH AND FLEXIBLE
- EXTERIOR OR INTERIOR
- SEALING, CAULKING, GASKETING OR WEATHER PROOFING
- MOST PAINT WILL NOT ADHERE



Hold to at 45° angle
and draw a steady
bead.

PART NUMBERS			
CLEAR	9732CL	BLACK	9732BL
WHITE	9732WH	HIGH TEMP RED	9732HI

O.E.M. HARDWARE

"Hard to Find" Hardware and Supplies

Regular Grade Anti-Seize and Lubricating Compound

Product Description

Never-Seez Regular Grade is a superior, anti-seize and extreme pressure lubricant formulated to protect metal parts against rust, corrosion and seizure. Fine metallic and graphite particles in a special grease protect parts even in high heat, high pressure and corrosive environments.

Product Benefits

- Keeps parts working longer with less wear.
- Minimizes parts replacement costs.
- Enables faster disassembly when repairs are needed - even after exposure to high temperatures.
- Protects against carbon fusion.
- Resists alkaline solutions, most chemical and acid vapors, road salt, steam, salt water, iodized water.
- Prevents galling on steel to stainless steel, titanium, magnesium, and other hard metals.

Product Applications

- Nuts, bolts, screws
- Pipe fittings
- Boom guides
- Valve assemblies
- Pump mountings
- Chain drives
- Shafts
- Gaskets
- Press fit assemblies
- Taps and drills
- Packings glands
- Metal fittings
- Machinery

Limitations

- Never-Seez Regular Grade is not recommended for high speed bearings. Never-Seez Red Bearing Lubricant is suggested for these applications.
- Never-Seez Regular Grade, Nuclear Certified is available where certification is required. Conforms to G.E. D6Y28-A1.
- For temperature resistance to 2400°F, use Never-Seez Pure Nickel Special.
- For applications where the presence of copper is prohibited, use Never-Seez Nickel Grade, Nuclear Grade or Blue Moly.

Other Anti-Seize Lubricants from Bostik

- Pure Nickel Special
- Nuclear Grade, Nickel Special
- High Temp Stainless
- High Temp Stainless, Nuclear Certified
- Blue Moly Lubricant
- Pipe Compound with Teflon®
- Black Moly Lubricant
- Red Bearing Lubricant
- White Food Grade with PTFE
- High Temperature Bearing Lubricant
- Marine Grade



Technical Specifications

Color	Silver
Temperature Range, °F	-297 to 1800
Solvent Resistance	Excellent in water, salt water, and ionized water
Particle Size, mil	2 maximum
Specific Gravity	1.23-1.29

		ASTM Test Method
NLGI Grade	1/2	D-217
Worked Penetration	280-350	D-217-A
Flash Point, °F	500	D-92
Dropping Point, °F	360	D-566
Coefficient of Friction	0.057-0.063	D-2266
Coefficient of Friction, k factor	.130	
Extreme Pressure, psi	32,000	D-2596
Copper Corrosion Test	No corrosion	D-130-83

Electrical Properties

Cycles	Dissipation Factor	Dielectric Constant	Resistivity OHMS-cm	Conductivity Mhos/cm
1,000	.0255	14.6	4.2 x 10 ⁹	4.32 x 10 ⁻⁹
10,000	.0031	13.4	3.5 x 10 ⁹	3.77 x 10 ⁻¹⁰

Specifications: Meets MIL-A-907E; Ford Spec. #ESE-M12A4-A; Garrett PCS5724; U.T. Pratt & Whitney PWA 36053-2.

Trace Elements (Parts per million)

ELEMENTS	AVERAGES OF TYPICAL BATCHES
Arsenic	25 PPM
Cadmium	20 PPM
Magnesium	25 PPM
Mercury	.5 PPM
Lead	10 PPM

ELEMENTS	AVERAGES OF TYPICAL BATCHES
Nickel	75 PPM
Phosphorous	150 PPM
Silver	1 PPM
Sulfur	750 PPM

Ingredients: Contains a special, high-quality bearing grease with graphite, copper flake, aluminum powder and zinc oxide.

Shelf Life: NEVER-SEEZ Regular Grade does not deteriorate with age when stored unopened at temperatures below 120°F. Quality and performance are guaranteed for five years after purchase on unopened containers.

Use in accordance with Material Safety Data Sheet.

Ordering Information

REGULAR GRADE ANTI-SEIZE AND LUBRICATING COMPOUND

STOCK NUMBER	DESCRIPTION	SIZE
NSBT-4	Brush Top	1/4 lb.
NSBT-8	Brush Top	8 oz.
NSBT-16	Brush Top	1 lb.

IMPORTANT NOTICE:

All statements, technical information and recommendations set forth herein are based on tests which Bostik believes to be reliable. However, Bostik does not guarantee their accuracy or completeness. The buyer should conduct its own tests of this product before use to determine proper preparation technique and suitability for proposed application. Any sales of this product shall be on terms and conditions set for the on Bostik's order acknowledgment. Bostik warrants that the product conforms with Bostik written specifications, and is free from defects. BOSTIK DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S SOLE REMEDY FOR NONCOMPLIANCE WITH THIS WARRANTY SHALL BE FOR THE REPLACEMENT OF THE PRODUCT OR REFUND OF THE BUYER'S PURCHASE PRICE. IN NO CASE WILL BOSTIK BE LIABLE FOR DIRECT, CONSEQUENTIAL ECONOMIC OR OTHER DAMAGES.

STOCKTON INDUSTRIES INC. D.B.A.
O.E.M. HARDWARE
#103-12779 80TH AVE
SURREY, BC
V3W 3A6